OP/TECH USA®

Strap Reference Chart (U.S. Measurement)

STRAP	RECOMMENDED LOAD*	NECK	SHOULDER	WRIST	# of CONNECTION POINTS	CONNECTION TYPE	STRAP LENGTH	PAD DIMENSIONS
Bin/Op Strap - QD†	Up to 2.5 lbs	•			2	Small Cord Loop	28" - 36"	.625" x 12"
Cam Strap - QD†	Up to 2.5 lbs			•	1	Small Cord Loop	10"	.625" x 6"
Finger Cuff – QD™	Up to 2.5 lbs				1	Small Cord Loop	Fits Any Finger	.625" x 12"
Mini Loop Strap - QD†	Up to 2.5 lbs	•			1	Small Cord Loop	17" - 25"	.625" x 12"
Envy Strap	Up to 7 lbs	•			2	⅜" webbing	26" - 52"	1.25" x 15.5"
Fashion Strap	Up to 7 lbs	•			2	⅜" plastic connector	38" - 44"	1.5" x 16"
Fashion Strap ⅜"	Up to 7 lbs	•			2	⅜" webbing	27" - 55"	1.5" x 16"
Fashion Strap - Bino	Up to 7 lbs	•			2	⅜" webbing	24" - 45"	1.5" x 16"
Classic Strap	Up to 10 lbs	•			2	⅜" webbing	25" - 51"	2" x 15"
E-Z Comfort Strap	Up to 10 lbs	•			2	⅜" webbing	22" - 44"	1.3" x 14"
Gotcha Wrist Strap	Up to 10 lbs			•	1	Uni-Loop	7" - 9.5"	1.5" x 11"
SLR Wrist Strap	Up to 10 lbs			•	1	Uni-Loop	11"	1.375" x 5"
Super Classic ⅜" Strap	Up to 15 lbs	•	•		2	⅜" webbing	25" - 51"	2" x 15"
Super Classic Strap w/ Pro Loop	Up to 15 lbs	•	•		2	¼" webbing loop	37" - 43"	2" x 15"
Super Classic Strap Bino ⅜"	Up to 15 lbs	•	•		2	⅜" webbing	23" - 67"	2" x 15"
Super Classic Strap Uni-Loop	Up to 15 lbs	•	•		2	Uni-Loop	36" - 43"	2" x 15"
Pro Strap ⅜"	Up to 15 lbs	•	•		2	⅜" webbing	24" - 51"	2.5" x 15"
Pro Loop Strap	Up to 15 lbs	•	•		2	¼" webbing loop	37" - 43"	2.5" x 15"
Reporter Strap	Up to 15 lbs	•	•		4	⅜" webbing	24"-51"/31"-35"	2.5" x 15"
Super Pro Strap A&B versions	Up to 15 lbs	•	•		2	custom metal clips	37" - 46.5"	2.5" x 15"
Utility Strap - ⅜"	Up to 15 lbs		•		2	⅜" webbing	26" - 53"	2.5" x 16"
Utility Strap - Sling	Up to 15 lbs		•		1 or 2	Uni-Loop		2.5" x 16"
Utility Strap - Swivel	Up to 15 lbs		•		2	¾" plastic/stainless hooks	40" - 53"	2.5" x 16"
Mini S.O.S. Strap	Up to 25 lbs		•		2	1" webbing & metal hooks	20" - 52"	2.25" x 10"
S.O.S. Strap	Up to 30 lbs		•		2	1½" webbing & metal hooks	20" - 52"	2.75" x 11"
S.O.S. Curve Strap	Up to 30 lbs		•		2	1½" webbing & metal hooks	22" - 54"	2.75" x 11.5"
Tripod Strap - Original	Up to 25 lbs		•		2	¾" webbing & QD†	19.5" - 49"	3" x 19.5"
Tripod Strap - Swivel	Up to 25 lbs		•		2	¾" webbing & metal hook	28" - 48"	3" x 19.5"

* NOTE: Please keep in mind that the weight of an item is often perceived as being much heavier than the actual weight.

LOAD is the amount of weight that can be comfortably carried on the strap.

† Quick Disconnect Connectors

Revised
6-14-'10

OP/TECH USA®

Strap Reference Chart (Metric Measurement)

STRAP	RECOMMENDED LOAD*	NECK	SHOULDER	WRIST	# of CONNECTION POINTS	CONNECTION TYPE	STRAP LENGTH	PAD DIMENSIONS
Bin/Op Strap - QD†	Up to 1,13 kg	•			2	Small Cord Loop	71,1 - 91,4	1,6 x 30,5
Cam Strap - QD†	Up to 1,13 kg			•	1	Small Cord Loop	35,6	1,6 x 15,2
Finger Cuff – QD™	Up to 1,13 kg				1	Small Cord Loop	Fits Any Finger	
Mini Loop Strap - QD†	Up to 1,13 kg	•			1	Small Cord Loop	43,2 - 63,5	1,6 x 30,5
Envy Strap	Up to 1,13 kg	•			2	⅜" webbing	66 - 132	3,2 x 39,4
Fashion Strap	Up to 1,13 kg	•			2	⅜" plastic connector	96,5 - 111,8	3,8 x 40,6
Fashion Strap ⅜"	Up to 1,13 kg	•			2	⅜" webbing	68,6 - 139,7	3,8 x 40,6
Fashion Strap - Bino	Up to 1,13 kg	•			2	⅜" webbing	61 - 114,3	3,8 x 40,6
Classic Strap	Up to 4,5 kg	•			2	⅜" webbing	63,5 - 129,5	5 x 38,1
E-Z Comfort Strap	Up to 4,5 kg	•			2	⅜" webbing	55,9 - 118,8	3,3 x 35,6
Gotcha Wrist Strap	Up to 4,5 kg			•	1	Uni-Loop	17,8 - 24,1	3,8 x 27,9
SLR Wrist Strap	Up to 4,5 kg			•	1	Uni-Loop	27,9	3,5 x 12,7
Super Classic ⅜" Strap	Up to 7 kg	•	•		2	⅜" webbing	63,5 - 129,5	5 x 38,1
Super Classic Strap w/ Pro Loop	Up to 7 kg	•	•		2	¼" webbing loop	94 - 109,2	5 x 38,1
Super Classic Strap Bino ⅜"	Up to 7 kg	•	•		2	⅜" webbing	59,7 - 170,2	5 x 38,1
Super Classic Strap Uni-Loop	Up to 7 kg	•	•		2	Uni-Loop	91,4 - 109,2	5 x 38,1
Pro Strap ⅜"	Up to 7 kg	•	•		2	⅜" webbing	61 - 129,5	6,3 x 38,1
Pro Loop Strap	Up to 7 kg	•	•		2	¼" webbing loop	94 - 109,2	6,3 x 38,1
Reporter Strap	Up to 7 kg	•	•		4	⅜" webbing	61-129,5/78,7-88,9	6,3 x 38,1
Super Pro Strap A&B versions	Up to 7 kg	•	•		2	custom metal clips	94 - 118,1	6,3 x 38,1
Utility Strap - ⅜"	Up to 7 kg		•		2	⅜" webbing	66 - 134,6	6,3 x 40,6
Utility Strap - Sling	Up to 7 kg		•		1 or 2	Uni-Loop		6,3 x 40,6
Utility Strap - Swivel	Up to 7 kg		•		2	¾" plastic/stainless hooks	101,6 - 134,6	6,3 x 40,6
Mini S.O.S. Strap	Up to 11,3 kg		•		2	1" webbing & metal hooks	50,8 - 132,1	5,7 x 25,4
S.O.S. Strap	Up to 13,6 kg		•		2	1½" webbing & metal hooks	50,8 - 132,1	7 x 27,9
S.O.S. Curve Strap	Up to 13,6 kg		•		2	1½" webbing & metal hooks	55,9 - 137,2	7 x 29,2
Tripod Strap - Original	Up to 11,3 kg		•		2	¾" webbing & QD†	49,5 - 124,5	7,6 x 49,5
Tripod Strap - Swivel	Up to 11,3 kg		•		2	¾" webbing & metal hook	71,1 x 121,9	7,6 x 49,5

* NOTE: Please keep in mind that the weight of an item is often perceived as being much heavier than the actual weight.

LOAD is the amount of weight that can be comfortably carried on the strap.

† Quick Disconnect Connectors

Revised
6-14-'10

OP/TECH USA®

Strap Pad Diagram



A	Cam Strap™-QD, Bin/Op Strap™-QD, Mini Loop Strap™-QD
B	E-Z Comfort Strap™
C	Fashion Strap™, Fashion Strap ⅜™, Fashion Strap Bino™
D	Classic Strap™
E	Super Classic Strap™
F	Envy Strap
G	Pro Strap™ ⅜, Pro Loop Strap™, Super Pro Strap™, Reporter Strap™
H	Utility Strap™, Utility Strap™ ⅜
J	S.O.S. Curve Strap™
K	Mini S.O.S. Strap™
L	S.O.S. Strap™
M	Tripod Strap (Nature)

Revised
6-14-'10